

Author Index

- Agabian, N., see Barnes, D.A., 101
Agabian, N., see Michaeli, S., 7
- Balloul, J.-M., see Trottein, F., 35
Barnes, D.A., Mottram, J.C. and Agabian, N., Bloodstream and metacyclic variant surface glycoprotein gene expression sites of *Trypanosoma brucei gambiense*, 101
Barsuhn, C.L., see Ho, N.F.H., 153
Beck, D.J., see Lew, A.M., 289
Black, S.J., see Vandeweerdt, V., 197
Boisvenue, R.J., see Cox, G.N., 25
Bouhours, J.-F., see Persat, F., 1
Bournnell, M.E.G., see Clarke, L.E., 269
Buck, S.W., see Gold, A.M., 187
- Capron, A., see Trottein, F., 35
Certa, U., see Döbeli, H., 259
Certa, U., see Ridley, R.G., 125
Clarke, L.E., Tomley, F.M., Wisher, M.H., Foulds, I.J. and Bournnell, M.E.G., Regions of an *Eimeria tenella* antigen contain sequences which are conserved in circumsporozoite proteins from *Plasmodium* spp. and which are related to the thrombospondin gene family, 269
Coombs, G.H., Wolf, C.R., Morrison, V.M. and Craft, J.A., Changes in hepatic xenobiotic-metabolising enzymes in mouse liver following infection with *Leishmania donovani*, 17
Cox, G.N., Pratt, D., Hageman, R. and Boisvenue, R.J., Molecular cloning and primary sequence of a cysteine protease expressed by *Haemonchus contortus* adult worms, 25
Craft, J.A., see Coombs, G.H., 17
- Davies, K.P. and Köhler, P., The role of amino acids in the energy generating pathways of *Litomosoides carinii*, 115
Delves, C.J., see Ridley, R.G., 125
Denkers, E.Y., Wassom, D.L. and Hayes, C.E., Characterization of *Trichinella spiralis* antigens sharing an immunodominant, carbohydrate-associated determinant distinct from phosphorylcholine, 241
Despommier, D.D., see Gold, A.M., 187
Döbeli, H., Trzeciak, A., Gillessen, D., Matile, H., Srivastava, I.K., Perrin, L.H., Jakob, P.E. and Certa, U., Expression, purification, biochemical characterization and inhibition of recombinant *Plasmodium falciparum* aldolase, 259
Dopheide, T.A.A., see Savin, K.W., 167
Dore, E., see Ponzi, M., 73
Dulski, A., see Gurnett, A., 177
- Fetterer, R.H., see Hill, D.E., 45
Fidge, N.H., see Rogers, M.V., 93
Foulds, I.J., see Clarke, L.E., 269
Frenkel, M.J., see Savin, K.W., 167
- Geary, T.G., see Ho, N.F.H., 153
Gillessen, D., see Döbeli, H., 259
- Gladkaya, L.A., see Pestov, D.G., 135
Gold, A.M., Despommier, D.D. and Buck, S.W., Partial characterization of two antigens secreted by L1 larvae of *Trichinella spiralis*, 187
Goldenberg, S., see Wincker, P., 147
Goman, M., see Ridley, R.G., 125
Grant, W.N., see Savin, K.W., 167
Gurnett, A., Dulski, A., Hsu, J. and Turner, M.J., A family of glycolipid linked proteins in *Eimeria tenella*, 177
- Hageman, R., see Cox, G.N., 25
Hayes, C.E., see Denkers, E.Y., 241
Hernández, R., Rios, P., Valdés, A.M. and Piñero, D., Primary structure of *Trypanosoma cruzi* small-subunit ribosomal RNA coding region: comparison with other trypanosomatids, 207
Hill, D.E., Fetterer, R.H. and Urban, Jr., J.F., Biotin as a probe of the surface of *Ascaris suum* developmental stages, 45
Ho, N.F.H., Geary, T.G., Raub, T.J., Barsuhn, C.L. and Thompson, D.P., Biophysical transport properties of the cuticle of *Ascaris suum*, 153
Howells, R.E., see Ndifor, A.M., 251
Hsu, J., see Gurnett, A., 177
- Jaffe, C.L., Perez M., L. and Schnur, L.F., Lipophosphoglycan and secreted acid phosphatase of *Leishmania tropica*, share species-specific epitopes, 233
Jakob, P.E., see Döbeli, H., 259
Janse, C.J., see Ponzi, M., 73
Kieny, M.P., see Trottein, F., 35
Ko, C., Smith II, C.K. and McDonnell, M., Identification and characterization of a target antigen of a monoclonal antibody directed against *Eimeria tenella* merozoites, 53
Köhler, P., see Davies, K.P., 115
Kolesnikov, A.A., see Pestov, D.G., 135
Kurdi-Haidar, B. and Luzzatto, L., Expression and characterization of glucose-6-phosphate dehydrogenase of *Plasmodium falciparum*, 83
- Lahm, H.-W., see Ridley, R.G., 125
Lecocq, J.-P., see Trottein, F., 35
Lee, M.G.-S. and Van der Ploeg, L.H.T., Transcription of the heat shock 70 locus in *Trypanosoma brucei* 221
Lee, M.G.-S., Polvere, I. and Van der Ploeg, L.H.T., Evidence for segmental gene conversion between a cognate *hsp70* gene and the temperature-sensitively transcribed *hsp70* genes of *Trypanosoma brucei*, 213
Lew, A.M., Beck, D.J. and Thomas, L.M., A second region recognized by the protective monoclonal antibody 5C10/66 in the precursor to the major merozoite surface antigen of *Plasmodium chabaudi adami* (Short Communication), 289
Lloyd, D., see Paget, T.A., 63
Luzzatto, L., see Kurdi-Haidar, B., 83
- Maslov, D.A., see Pestov, D.G., 135

- Matile, H., see Döbeli, H., 259
 Matile, H., see Ridley, R.G., 125
 McDonnell, M., see Kø, C., 53
 Michaeli, S. and Agabian, N., A *Trypanosoma brucei* small RNP particle containing the 5S rRNA, 7
 Mitchell, G.F., see Rogers, M.V., 93
 Mojon, M., see Persat, F., 1
 Mons, B., see Ponzi, M., 73
 Morrison, V.M., see Coombs, G.H., 17
 Mottram, J.C., see Barnes, D.A., 101
- Ndifor, A.M., Ward, S.A. and Howells, R.E., Cytochrome P-450 activity in malarial parasites and its possible relationship to chloroquine resistance, 251
- Pace, T., see Ponzi, M., 73
 Paget, T.A. and Lloyd, D., *Trichomonas vaginalis* requires traces of oxygen and high concentrations of carbon dioxide for optimum growth, 63
 Perez M., L., see Jaffe, C.L., 233
 Perrin, L.H., see Döbeli, H., 259
 Persat, F., Bouhours, J.-F., Mojon, M. and Petavy, A.-F., Analysis of the monohexosylceramide fraction of *Echinococcus multilocularis* metacystodes, 1
 Pestov, D.G., Gladkaya, L.A., Maslov, D.A. and Kolesnikov, A.A., Characterization of kinetoplast minicircle DNA in the lower trypanosomatid *Crithidia oncopelti*, 135
 Petavy, A.-F., see Persat, F., 1
 Pierce, R.J., see Trottein, F., 35
 Piñero, D., see Hernández, R., 207
 Polvere, I., see Lee, M.G.-S., 213
 Ponzi, M., Janse, C.J., Dore, E., Scotti, R., Pace, T., Reterink, T.J.F., Van der Berg, F.M. and Mons, B., Generation of chromosome size polymorphism during in vivo mitotic multiplication of *Plasmodium berghei* involves both loss and addition of subtelomeric repeat sequences, 73
 Pratt, D., see Cox, G.N., 25
- Quilici, D., see Rogers, M.V., 93
- Raub, T.J., see Ho, N.F.H., 153
 Reterink, T.J.F., see Ponzi, M., 73
 Ridley, R.G., Takacs, B., Lahm, H.-W., Delves, C.J., Goman, M., Certa, U., Matile, H., Woollett, G.R. and Scaife, J.G., Characterisation and sequence of a protective rhoptry antigen from *Plasmodium falciparum*, 125
 Rios, P., see Hernández, R., 207
 Rogers, M.V., Quilici, D., Mitchell, G.F. and Fidge, N.H., Purification of a putative lipoprotein receptor from *Schistosoma japonicum* adult worms, 93
 Roizes, G., see Wincker, P., 147
- Savin, K.W., Dopheide, T.A.A., Frenkel, M.J., Wagland, B.M., Grant, W.N. and Ward, C.W., Characterization, cloning and host-protective activity of a 30-kilodalton glycoprotein secreted by the parasite stages of *Trichostrongylus colubriformis*, 167
 Scaife, J.G., see Ridley, R.G., 125
 Scaife, J., see Shahabuddin, M., 281
 Schmitt, D., see Trottein, F., 35
- Schnur, L.F., see Jaffe, C.L., 233
 Scotti, R., see Ponzi, M., 73
 Shahabuddin, M. and Scaife, J., The gene for hypoxanthine phosphoribosyl transferase of *Plasmodium falciparum* complements a bacterial HPT mutation, 281
 Sim, B.K.L., Sequence conservation of a functional domain of erythrocyte binding antigen 175 in *Plasmodium falciparum* (Short Communication), 293
 Smith II, C.K., see Kø, C., 53
 Srivastava, I.K., see Döbeli, H., 259
- Takacs, B., see Ridley, R.G., 125
 Thomas, L.M., see Lew, A.M., 289
 Thompson, D.P., see Ho, N.F.H., 153
 Tomley, F.M., see Clarke, L.E., 269
 Torpier, G., see Trottein, F., 35
 Trottein, F., Kieny, M.P., Verwaerde, C., Torpier, G., Pierce, R.J., Balloul, J.-M., Schmitt, D., Lecocq, J.-P. and Capron, A., Molecular cloning and tissue distribution of a 26-kilodalton *Schistosoma mansoni* glutathione S-transferase, 35
 Trzeciak, A., see Döbeli, H., 259
 Turner, M.J., see Gurnett, A., 177
- Urban, Jr., J.F., see Hill, D.E., 45
- Valdés, A.M., see Hernández, R., 207
 Van der Berg, F.M., see Ponzi, M., 73
 Van der Ploeg, L.H.T., see Lee, M.G.-S., 213
 Van der Ploeg, L.H.T., see Lee, M.G.-S., 221
 Vandeweerdt, V. and Black, S.J., Selective inhibition of the uptake by bloodstream form *Trypanosoma brucei brucei* of serum lipoprotein-associated phospholipid and cholesteryl ester, 197
 Verwaerde, C., see Trottein, F., 35
- Wagland, B.M., see Savin, K.W., 167
 Ward, C.W., see Savin, K.W., 167
 Ward, S.A., see Ndifor, A.M., 251
 Wassom, D.L., see Denkers, E.Y., 241
 Wincker, P., Roizes, G. and Goldenberg, S., Characterization of a *Trypanosoma cruzi* specific nuclear repeated sequence, 147
 Wisher, M.H., see Clarke, L.E., 269
 Wolf, C.R., see Coombs, G.H., 17
 Woollett, G.R., see Ridley, R.G., 125

Subject Index

- Acetate, 65
Alanine, 115
Amino acid homology, 269
Amino acid repeat, 269
Antigen, 187, 269
Ascaris suum, 41, 153

Band 3 analogue peptide, 259
Biotin, 41

Carbohydrate, 233, 241
Carbon dioxide, 65
Cathepsin B, 25
Cestode, 1
Chromosome polymorphism, 73
Circumsporozoite protein, 269
Coccidiosis, 269
Complementation, 281
Crithidia oncopelti, 135
Cross-reacting determinant, 177
Cuticle, 41, 153
Cysteine protease, 25
Cytochrome P-450, 251
Cytoskeleton binding, 259

Differential gene expression, 213
Diffusion coefficient, 153
DNA sequence, 135, 289
cDNA cloning, 25

Echinococcus multilocularis, 1
Eimeria, 177, 269
Eimeria tenella, 53
Epitope, 187
Erythrocyte binding antigen, 293
ESAG 1 gene, 101
Evolution, 207
Expression, 167

G6PD deficiency, 83
Galactosyl ceramide, 1
Gene, 167
Gene conversion, 213
Glucose-6-phosphate dehydrogenase, 83
Glutamine, 115
Glutathione S-transferase, 35
Glycerol, 65
Glycolipid, 233
Glycolipid-linked protein, 177
Glycopeptidase F, 187
Glycoprotein, 167, 187, 233
Glycosphingolipid, 1

Haemonchus contortus, 25
Heat shock protein, 213, 221

0166-6851/90/\$03.50 © Elsevier Science Publishers B.V. (Biomedical Division)

High density lipoprotein, 93
High performance liquid chromatography, 93
Homology, 35
Hydrogen, 65
Hydrogenosome, 65
Hypoxanthine phosphoribosyl transferase, 281

Immunodominant antigen, 241

Karyotype, 147
Kinoplast DNA, 135
Kinoplastid, 7

Lactate, 65
Leishmania donovani, 17
Leishmania tropica, 233
Lipid uptake, 197
Lipoprotein, 197
Lipoprotein receptor, 93
Litomosoides carinii, 115
Liver, 17
Low density lipoprotein, 93

Malaria, 83, 251, 281, 293
Membrane anchor, 177
Merozoite, 53
Merozoite surface, 289
Metabolism, 115
Metacyclic expression site, 101
Mini-exon, 221
Minicircle, 135
Molecular cloning, 35
Monoclonal antibody, 53, 233, 289
Monohexosylceramide, 1
Mouse, 17

Nematode, 153, 167
Nucleotide sequence, 25

Oxygen, 65

Parasite, 1
Parasitic nematode, 41
Partition coefficient, 153
Phosphorylcholine, 241
Plasmodium, 281
Plasmodium spp., 269
Plasmodium berghei, 73
Plasmodium chabaudi, 289
Plasmodium falciparum, 83, 125, 259, 293
Polycistronic transcription, 221
Pore, 153
Post-transcriptional control, 221
Protective rhoptry antigen, 125
Purification, 93

Purine metabolism, 281

RAP-1 gene sequence, 125

Recombinant aldolase, 259

Renkin factor, 153

Repeat sequence, 53

Repeated DNA, 147

Resistance, 251

Ribosomal protein, 7

rRNA gene, 207

5S rRNA, 7

Schistosoma japonicum, 93

Schistosoma mansoni, 35

Secretion, 167, 187

Selective inhibitor, 197

Sequence conservation, 293

Sequence, 207

Sporozoite, 53

Subtelomeric repeats, 73

Tissue distribution, 35

Trans-splicing, 221

Transcription, 147

Transcuticular transport, 153

Tricarboxylic acid cycle, 115

Trichinella spiralis, 187, 241

Trichomonas vaginalis, 65

Trichostrongylus, 167

Trypanosoma brucei, 7

Trypanosoma brucei brucei, 197

Trypanosoma brucei gambiense, 101

Trypanosoma cruzi, 147, 207

Xenobiotic, 17

